



發行人：陳 志 鴻
 總編輯：周 辰 熹
 主 編：藥品諮詢組
 地 址：台南市勝利路 138 號
 電 話：(06)2353535 轉 2515
<http://www.ncku.edu.tw/~pharmacy/>
 八十年十月創刊
 新聞局出版事業登記證
 局版台省誌字第1207號

新 藥 通 知

料 號 藥 理 藥品名稱
分類號

842828 6090 Strontium Ranelate (Agents for Osteoporosis) 腎 飯前

'Protos' 2g/sachet

Usual dose: 1 sachet at bedtime, preferably at least 2 hr after food.

387359 6040 Follitropin beta (FSH) (Agents Used to Treat Infertility) 冷藏 避光

'Puregon' 300IU FSH (30µg/0.36ml)/cartridge

Usual dose: IM or SC.

Anovulation: A sequential treatment scheme is recommended starting with 50 IU daily. The starting dose is maintained for at least 7 days. If no ovarian response, the daily dose is then gradually increased until an adequate response. A daily increase of oestradiol levels of 40-100 % is considered optimal.

Assisted reproductive technologies (ART): Initially, 100-225 IU/day for at least 4 days. Thereafter, the dose may be adjusted individually, based upon ovarian response. The maintenance dose from 75-375 IU for 6-12 days are sufficient, although longer treatment may be necessary.

孕婦安全分級：X

432353 6310 HPV 16,18-L1 protein (Human Papillomavirus Recombinant Vaccine)

冷藏 避光

'Cervarix' 0.5ml/syringe

Usual dose: IM.

For girls and women 10-25 yr: 0.5 ml x 3 doses at 0, 1, and 6 months.

810026 6067 Sitagliptin phosphate (Dipeptidyl Peptidase IV Inhibitor) 腎

'Januvia' 100mg/tab

Usual dose: One tab daily.

孕婦安全分級：B

- 664333 6910 Oxcarbazepine Suspension (Anticonvulsants) 腎
 'Trileptal' 60mg/ml, 100ml/btl
 Usual dose:
 Adult: Initially, 600 mg/day in 2 divided dose, up to 2400 mg/day.
 Child: Initially, 8-10 mg/kg/day in 2 divided dose. Max. 60 mg/kg/day.
 注意事項：1. Oxcarbazepine會抑制CYP2C19的作用，與phenobarbital、phenytoin併用時，可能須減少後者的劑量。
 2. Oxcarbazepine會誘導CYP3A4及CYP3A5的作用，將導致併用藥品之血中濃度降低(例如：carbamazepine、dihydropyridine類鈣離子拮抗劑及口服避孕藥)。
 孕婦安全分級：C
- 942425 6920 Varenicline (Smoking Cessation Agents) 腎
 'Champix' 1mg/F.C tab
 Usual dose: 1 mg twice daily following a 1-week titration as follows:
 Days 1-3: 0.5 mg qd.
 Days 4-7: 0.5 mg bid.
 Days 8- end of treatment: 1 mg bid.
 孕婦安全分級：C
- 124122 2430 Bosentan (Agents for Pulmonary Arterial Hypertension) 肝
 'Tracleer' 125mg/tab
 Usual dose:
 Adult: Initially, 62.5 mg bid for 4 wk; maintenance dose, 125 mg bid.
 Child $\geq$ 3 yr:
 10-20 kg: 31.25 mg qd for 4 wk then 31.25 mg bid.
 20-40 kg: 31.25 mg bid for 4 wk then 62.5 mg bid.
 > 40 kg: 62.5 mg bid for 4 wk then 125 mg bid.
 注意事項：禁忌併用glibenclamide或cyclosporin。
 孕婦安全分級：X
- 800822 2430 Sildenafil (Agents for Pulmonary Arterial Hypertension) 腎 肝
 'Revatio' 20mg/tab
 Usual dose: 20 mg three times daily; approximately 4-6 hr apart.
 注意事項：正使用硝酸鹽患者禁忌使用。
 孕婦安全分級：B
- 241023 1820 Deferiprone (Metal Antagonists) 腎 肝
 'Kelfer' 500mg/cap
 Usual dose:

Adult: 75 mg/kg/day to be administered in 2-4 divided doses.

Child > 2 yr: 75 mg/kg/day to be administered in 2-4 divided doses.

注意事項：鐵複合物的排除會使尿液成紅棕色。

6650 Zinc Acetate (Minerals) 飯前

966120 'Zinca' 50mg Zn/cap

966223 'Zinca' 25mg Zn/cap

Usual dose: PO, taken at least 1 hr before or 2-3 hr after meals.

Adult: 50 mg tid.

Child $\geq$ 10 yr: 25 mg tid.

孕婦安全分級：A

182528 7511 Chlordiazepoxide (Benzodiazepines) 腎 肝

'Librium' 5mg/S.C tab

Usual dose: PO.

Anxiety:

Adult: 15-40 mg/day in 3-4 divided doses; 50-100 mg/day in severe cases.

Child: 5-10 mg/day, increased if necessary to 20-30 mg daily.

Alcohol withdrawal syndrome: Initial adult dose, 50-100 mg, repeated in 2-4 hr as necessary. Max. 300 mg/24 hr.

注意事項：治療期間不可飲酒；須開車或操作機械者請小心。

孕婦安全分級：D

786956 7550 Risperidone (Antipsychotics) 腎 肝 避光 冷藏

'Risperdal Consta' 37.5mg/vial

Usual dose: Deep IM, 25 mg q2wk, may increased to 37.5 or 50 mg at intervals of at least 4 wk. Max. 50 mg q2wk. Oral antipsychotics should be administered with the initial injection and continued for 3 wk.

注意事項：1. EPS(extrapyramidal reactions)通常發生於剛開始服藥的時候，尤其是high-potency的品項較易出現。

2. Low-potency的品項較會有alpha antiadrenergic及anticholinergic的作用。

3. 若是病患有高膽色素血症(hyperbilirubinemia)或黃疸現象時應停止原先使用的藥品而改用化學結構不同的另一類抗精神病藥。

4. 老年人及糖尿病人之起始劑量應降低。

5. 須避光冷藏；未冷藏之藥品於25°C以下最多貯存7天。

備註：本院另備有Risperdal Consta 25 mg/vial。

孕婦安全分級：C