



公告日期	2024/10/17
異動類別	新進藥品
異動原因	藥委會決議
異動描述	Adalimumab inj 40mg/0.4mL/pen (Yuflyma [®])友福邁預充填注射液自即日起可開方使用。

異動內容

料號	035752
學名	Adalimumab
商品名	Yuflyma
中文名	友福邁預充填注射液
主成份及含量	40mg/0.4mL/pen
製造廠名稱	Catalent Belgium S.A. (Catalent Belgium S.A.)
產地	比利時
健保代碼	KC01205271
外觀/圖檔	
用法	皮下注射

<p>小孩劑量</p>	<p>幼年型自發性多關節炎: Children ?2 years and Adolescents: 10 kg to <15 kg: SUBQ: 10 mg every other week. 15 to <30 kg: SUBQ: 20 mg every other week. ?30 kg: SUBQ: 40 mg every other week. 小兒克隆氏症: Children ?6 years and Adolescents: 17 kg to <40 kg: SUBQ: Initial: 80 mg on day 1, then 40 mg administered 2 weeks later (day 15). Maintenance (beginning day 29): 20 mg every other week. Patients who continue to experience flares after 12 weeks of therapy may benefit from weekly dosing. ?40 kg: SUBQ: Initial: 160 mg (administered on day 1 or split and administered over 2 consecutive days), then 80 mg administered 2 weeks later (day 15). Maintenance (beginning day 29): 40 mg every other week. Weekly dosing should be considered for patients with loss of response or low trough concentrations (<7.5 mcg/mL). 小兒葡萄膜炎: ?30 kg: SUBQ: 40 mg every other week.</p>
<p>成人劑量</p>	<p>類風濕性關節炎、乾癬性關節炎及僵直性脊椎炎: 40 mg every other week. 克隆氏症: Initial: 160 mg (given over 1 or 2 days), then 80 mg 2 weeks later (day 15). Maintenance: 40 mg every other week beginning day 29. 乾癬: Initial: 80 mg. Maintenance: 40 mg every other week beginning 1 week after initial dose. 潰瘍性結腸炎 (中至重度): Initial: 160 mg (given over 1 or 2 days), then 80 mg 2 weeks later (day 15). Maintenance: 40 mg every other week beginning day 29. 腸道貝西氏症: Initial: 160 mg, then 80 mg 2 weeks later (day 15). Maintenance: 40 mg every other week beginning day 29. 化膿性汗腺炎: Initial: 160 mg (given over 1 or 2 days), then 80 mg 2 weeks later (day 15). Maintenance: 40 mg every other week beginning day 29. 葡萄膜炎: Initial: 80 mg. Maintenance: 40 mg every other week beginning 1 week after initial dose.</p>
<p>副作用</p>	