



公告日期	2026/3/30
異動類別	藥品變更
異動原因	年度招標
異動描述	<p>Lactulose oral sol 667mg/mL, 300mL/btl (Duphalac[®])杜化液因年度招標異動，改以Lactulose oral sol 300mL/btl (Lactulose[®])樂可樂舒液劑替代。</p> <ul style="list-style-type: none"> 舊品用罄，啟用新品。

異動內容		
	舊藥品	新藥品
料號	521135	
學名	Lactulose	
商品名	Duphalac	Lactulose
中文名	杜化液	樂可樂舒液劑
主成份及含量	300mL/btl	
製造廠名稱	Abbott Biologicals B.V. (亞培)	順華藥品工業股份有限公司三峽工廠 (順華)
產地	荷蘭	臺灣
健保代碼	BC25302166	AB47792166
外觀/圖檔		
用法	口服	
小孩劑量	<p>Chronic constipation: 1.5-3cc/kg/day once or twice daily, Max: 60cc/day</p> <p>Portal systemic encephalopathy: Infants: 2.5-10 mL/day in divided doses; adjust dosage to produce 2 to 3 stools/day Children and Adolescents: 40-90 mL/day in divided doses; adjust dosage to produce 2 to 3 stools/day</p>	
成人劑量	<p>Portal systemic encephalopathy: PO: Acute, initially, 30-45 ml/hr, then reduced to tid-qid when laxation occurs; maintenance, 30-45 ml tid-qid, adjusted q1-2d to produce 2-3 soft stools daily. Rectal: 300 ml is mixed with 700 ml water or saline, retained for 30-60 min, may be repeated q4-6h. Chronic constipation: PO, 15-30 ml/day.</p>	
副作用		