



公告日期	2026/6/17
異動類別	藥品變更
異動原因	年度招標
異動描述	Sodium Bicarbonate inj 針 7% 20mL/16.67mEq/amp碳酸氫鈉注射液因年度招標異動，改以Sodium bicarbonate inj 針 7% 20mL/16.67mEq/amp (Rolikan[®])樂麗康注射液替代。 舊品用罄，啟用新品。

異動內容		
	舊藥品	新藥品
料號	821653	
學名	Sodium bicarbonate	
商品名	Sodium Bicarbonate	Rolikan
中文名	碳酸氫鈉注射液	樂麗康注射液
主成份及含量	20mL/16.67mEq/amp	
製造廠名稱	台裕化學製藥廠股份有限公司 (台裕)	信東生技股份有限公司 (信東)
產地	臺灣	臺灣
健保代碼	AC26772238	AC27456238
外觀/圖檔		
用法	靜脈滴注	
小孩劑量	Cardiac arrest: IV. 0.5-1 mEq/kg repeated q10min or as indicated by arterial blood gases; rate of infusion ≤ 10 mEq/min; neonate & child < 2 yr, 0.5 mEq/ml. Acidosis: IV. 2-5 mEq/kg given > 4-8 hr.	

成人劑量	Hyperkalemia: 50 mEq IV over 5 mins Cardiac arrest: 1 mEq/kg/dose IV; repeat doses should be guided by ABG Metabolic acidosis: <u>Acid-base status NOT available:</u> 2 to 5 mEq/kg IVD over 4 to 8 hrs <u>Acid-base status available:</u> $\text{HCO}_3^- (\text{mEq}) = 0.5 \times \text{weight (kg)} \times [24 - \text{serum } \text{HCO}_3^- (\text{mEq/L})]$ Administer 1/2 dose initially, then remaining 1/2 dose over the next 24 hrs; monitor pH, serum HCO_3^-, and clinical status.
副作用	